

### MUNICIPAL CORPORATION OF DELHI PUBLIC HEALTH DEPARTMENT: SOUTH ZONE SRI AUROBINDO MARG, GREEN PARK, NEW DELHI-110016 dhosouthzone@gmail.com

No: DHO/SZ/2023/ D 4439

Dated 22.22)

1. Name of the School: Gyan Bharti School

2. School Address: Saket, New Delhi - 110017

3. No. of Shift: Morning Timing: 07.30AM to 1:00PM

4. No. of Students: Boys: 1457 Girls: 1033

No. of Students: Boys: 1457 Girls: 1033 Total: 2490
 No. of Staffs: Male: 23 Female: 113 Total: 136

### Details of Accommodations present in School

1. Floor Space in the Classroom Sufficient/insufficient: Sufficient

2. The Classrooms are Well Lighted/ ill lighted: Well Lighted

3. The Classrooms are Well Ventilated/ ill ventilated: Well Ventilated

4. The Classrooms are kept / Not kept Neat & Clean: Neat & Clean

5. The Classrooms/Building requires/ do not required Whitewash etc: Not required

6. The Drinking Water is Wholesome/ not wholesome: Wholesome

The Latrine arrangement is Sanitary/ insanitary: Sanitary condition from health point of view.

### No. of toilets seats for student

- 1. One latrine-cum-urinal is required for 25 female student, so total is sufficient
- 2. One latrine for 40 male student is required so total is sufficient
- 3. Separate Toilet arrangement for staff present: Yes/No Yes exist separate for staff
- 4. The Overall facilities: Good/ Adequate/Inadequate: Adequate from health point of view & valid upto one year from issuance date.

If Building Department or any other Govt. agency takes actions against u/a constructions or any dispute, then the Health Certificate will be stand cancelled/revoked without any further intimation in this regard.

Deputy Health Officer South Zone

Council Mittal

calin Officer/S2

(Remarks: Certificate is valid for one year)

Mrs. Lata Vaidyanathan Manager Gyan Bharati School Saket, New Delht-110017

#### Delhi Jal Board

(Govi of NCT of Delhi) HQ: Varunalaya Pintf, Karol Bugh, New Dethi-tiS Payment Receipt

Receipt No. 142314387209 (Street) of webs subject to restruction of CHQ/DD/CC/DC)

Name: The Principal( Gyan Bharti School)

KNo. 1427031000

Amount Paid Rs. 7,134.00

Payment

29-Apr-2023

Date Payment

CHEQUE

Mode

CHO/DD No. 008524 CHQ/DD

Date

26-Apr-2023

http://10.246.2.248/o...

29-04-2023

Page 2 of 2

MICR

1.10023095

TAWAJHA

STOP CORONA:

i. Wear Mask

ii. Follow Physical Distancing

tii. Maintain Hand Hygiene

Thi Jal Board 'ater B: 11).

MNWS M-hrauli
4:8/A-1
Bill Id:1 2/87939659
Bill Date 15 AFR-23
K NO:1427(3100)
Category:CaT II Name:The Principal (Gyan Bharti School)
Address (P. Billey, SAKET, Name: 18017

PMR / SLATHWES 1013/ CMR Date PR 3 CMR / ST 1733/ FR .3 5733/ 13:61 OK Consum; MAR-23 to 15 APR 2

D e late: 12-MAY-23 V S werage inges:1160
S werage inges:24%
Service Conges:126
Meter Rent:21
Water Ces:
RWH PENAL;
Sub Tota

A US CHIT

After Due LPSC (Rs -) Bill with

for getting SMs ale s f or DJB services, please u pdate your latest Mobile Number by calling 1916 or visit ERO Office. For more details, visit http ://www.djb.gov.in or cal 1 Toll Free - 1916.

Catch the Rain Where it falls, when it falls

MNWS Mehrauli



## SHRI RAM ANALYTICAL LABORATOR











Mob: 9910058519, 9910056519

Land Line: 0120-4291739

E-mail: shriramalab@gmail.com Web,: www.shriramalab.com

**Test Report** 

Report No: SRAL/SOP/202205020043	Date :	20/05/2022
Issued To:	Your Reference :	Email
Gyan Bharati School	Date of Receipt :	16/05/2022
Near Anupam PVR Saket	Our Reference :	Email
New Delhi- 110017	Test Started on :	17/05/2022
CONTRACTOR OF THE CONTRACTOR O	Test Completed on :	19/05/2022

Sample Description: One Sample received as "Essential Analysis of Delhi Jal Water"


"Essential Analysis of 'Delhi Jal Nigam Water"

S. No.	Parameter	Test Result	Essential test as per IS:10500:2012		Protocol
			Desirable Limits	Permissible Limits	10500
1	Colour	< 1.0 Hazen	5.0	15.0	IS: 3025 (pt-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS: 3025 (pt-5)
3	Taste	Agreeable	Agreeable	Agreeable	IS: 3025 (pt-7)
4	Turbidity	< 1.0 NTU	<1.0	0.5	IS: 3025 (pt-10)
5	pH Value	7.2	6.5 to 8.5	No relaxation	IS: 3025 (pt-11)
6	Total Hardness as CaCo <sub>3</sub>	132 mg/l	200.0	600.0	IS: 3025 (pt-21)
7	Chloride	29.8 mg/l	250.0	1000.0	IS: 3025 (pt-32)
8.	Total Dissolved Solid	258 mg/l	500	2000	IS: 3025 (pt-16)
9	Residual Free Chlorine	ND	0.2	0.1	IS: 3025 (pt-26)
10.	Calcium	42.0 mg/l	75	200	IS: 3025 (pt-40)
11.	Fluoride as F	<1.0 mg/l	1.0	1.5	IS: 3025 (pt-60)
1,2	Total Alkalinity as CaCo <sub>3</sub>	169 mg/l	200	600	IS: 3025 (pt-23)

Remark: This sample is Confirm to be IS: 10500:2012 and Suitable for Drinking Purpose.

Note: ND= Not Detected

\*\*\*End of Report\*\*\*\*



- Total hability of our laboratory is limited to the Invoiced Amount. No liability will be accepted after the sample is taken back.
- The results listed refer only to the tested sample and applicable parameters. Endorsement of product is neither inforced not implied
- The sample description is not verified in all cases and is given "As described" by the customer. Sample not drawn by as and analysis conducted on "As Received Basis" unless specified otherwise.
- Sample disposed after suitable retaining period
- a) All Penshable items such as Milk Products, Food items etc- Immediately after reporting
- b) Water Samples / Non-perishable stems after Four week of reporting ( provided the party has sobmitted the sufficient quantity of samples )
- Any Complaints about this report should be communicated in writing within 7 days of issue of this report.
- This report is not to be reproduced whelly or in parts and cannot be used as evidence in a court of law and shall not be used in advertising media without permission of CEO in writing.
- This is to be noted that utmost core is taken while preparing this report by our computer operator while feeding manually the data such as testing results, date, report number etc in the respective report, but as it's all human activity so if any elected error mistakes occurs than its just a matter of anintentional human mistake, in this case please confirm this in written to the lab within a period of 7 days & we will rectify it within a stipulated time.
- All disputes are subject to the Ghaziabad Jurisdiction.
   We hereby declare that we are not concerned a misrepresented in any anamer what a shall be to "M/S Shri Ram Institute for Industrial Research Delhi
- > E.& O.E

### SHRI RAM ANALYTICAL LABORATOR









Mob: 9910058519, 9910056519 Land Line: 0120-4291739

E-mail: shriramalab@gmail.com Web.: www.shriramalab.com

Report No : SRAL/SOP/202205020042	Date : 20/05/2022
Issued To:	Your Reference : Email
Gyan Bharati School	Date of Receipt : 16/05/2022
Near Anupam PVR Saket	Our Reference : Email
New Delhi- 110017	Test Started on : 17/05/2022
	Test Completed on : 19/05/2022

Sample Description: One Sample received as "Essential Analysis of R.O Water"

S. No.	Parameter	Test Result	Essential test as per IS:10500:2012		Protocol
			Desirable Limits	Permissible Limits	10500
1	Colour	< 1.0 Hazen	5.0	15.0	IS: 3025 (pt-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS: 3025 (pt-5)
3	Taste	Agreeable	Agreeable	Agreeable	IS: 3025 (pt-7)
4	Turbidity	< 1.0 NTU	<1.0	0.5	IS: 3025 (pt-10)
5	pH Value	7.3	6.5 to 8.5	No relaxation	IS: 3025 (pt-11)
6	Total Hardness as CaCo <sub>3</sub>	24 mg/l	200.0	600.0	IS: 3025 (pt-21)
7	Chloride	11.9 mg/l	250.0	1000.0	IS: 3025 (pt-32)
8.	Total Dissolved Solid	52 mg/l	500	2000	IS: 3025 (pt-32)
9	Residual Free Chlorine	ND	0.2	0.1	IS: 3025 (pt-26)
10.	Calcium	8.0 mg/l	75	200	IS: 3025 (pt-40)
11.	Fluoride as F	<1.0 mg/l	1.0	1.5	IS: 3025 (pt-40)
12	Total Alkalinity as CaCo <sub>3</sub>	32 mg/l	200	600	IS: 3025 (pt-23)

Remark: This sample is Confirm to be IS: 10500:2012 and Suitable for Drinking Purpose. Note: ND= Not Detected

\*\*\*End of Report\*\*\*\*

**Authorized Signatory** 



- Total liability of our laboratory is finited to the lavoiced Amount. No liability will be accepted after the sample is taken back
- The results listed refer only to the tested sample and applicable parameters. Endorsement of product is neither inferred not implied
- The sample description is not verified in all cases and is given "As described" by the customer. Sample not drawn by us and analyses conducted on "As Received Basis" unless specified otherwise.
- Sample disposed after suitable retaining period
- a) All Perishable items such as Milk Products, Food Isems etc. Immediately after reporting.
- b) Water Samples / Non-perishable items after Four week of reporting ( provided the party has submitted the sufficient quantity of samples )
- Any Complaints about this report should be communicated in writing within 7 days of issue of this report
- This report is not to be reproduced wholly or in parts and cannot be used as evidence in a court of law and shall not be used in advertising media without permission of CEO in writing
- This is to be noted that utmost care is taken whose preparing this report by our computer operator while feeding manually the data such as testing results , date report number ele in the respective report, but as it's all human activity, so if any element error unistakes occurs than its just a matter of unimentional human mistake, in this case please confirm this in written to the lab within a period of 7 days & we will rectify it within a stipulated time.
- All disputes are subject to the Chaziabad Jurisdiction.
- We hereby electare that we are not concerned & austrepresented in a the shall be to "M/S Shri Ram Institute for Industrial Research Delhi,"
- E. & O.E

# SHRI RAM ANALYTICAL LABORATOR











Mob: 9910058519, 9910056519

Land Line: 0120-4291739

E-mail: shriramalab@gmail.com Web.: www.shriramalab.com

ASMES ISO 9801 : 2015 Certified Laboratory

**Test Report** 

	COLICOPOIL	
Report No : SRAL/SOP/202205020044	Date : 20/05/2022	LATE LEGISLA
Issued To:	Your Reference : Email	
Gyan Bharati School	Date of Receipt : 16/05/2022	SHEET RAIL
Near Anupam PVR Saket	Our Reference : Email	
New Delhi- 110017	Test Started on : 17/05/2022	
	Test Completed on : 19/05/2022	GREG BAR

Sample Description: One Sample received as "Essential Analysis of Bore well Water"

"Essential Analysis of Bore well Water"

S. No.	Parameter	Test Result	Essential test as per IS:10500:2012		Protocol
			Desirable Limits	Permissible Limits	10500
1	Colour	< 1.0 Hazen	5.0	15.0	IS: 3025 (pt-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS: 3025 (pt-5)
3	Taste	Agreeable	Agreeable	Agreeable	IS: 3025 (pt-7)
4	Turbidity	< 1.0 NTU	<1.0	0.5	IS: 3025 (pt-10)
5	pH Value	7.2	6.5 to 8.5	No relaxation	IS: 3025 (pt-11)
6	Total Hardness as CaCo <sub>3</sub>	310 mg/l	200.0	600.0	IS: 3025 (pt-21)
7	Chloride	110 mg/l	250.0	1000.0	IS: 3025 (pt-32)
8.	Total Dissolved Solid	678 mg/l	500	• 2000	IS: 3025 (pt-16)
9.	Residual Free Chlorine	<0.2 mg/l	0.2	0.1	IS: 3025 (pt-26)
10.	Calcium	82 mg/l	75	200	IS: 3025 (pt-40)
11.	Fluoride as F	<1.0 mg/l	1.0	1.5	IS: 3025 (pt-60)
12	Total Alkalinity as CaCo:	340 mg/l	200	600	IS: 3025 (pt-23)

\*\*\*End of Report\*\*\*\*

Authorized Signator

#### Tarms & Conditions

- Total liability of our laboratory is limited to the Invoiced Amount. No liability will be accepted after the sample is taken back.
- The results listed refer only to the tested sample and applicable parameters. Endorsement of product is neither interest and implied
- The sample description is not verified in all case, and is given "As described" by the customer. Sample not drawn by us and analysis conducted on "As Received Basis" unless specified otherwise.
- Sample disposed after suitable retaining period.
- a) All Perishable items such as Milk Products, Food Items etc. Immediately after reporting
- b) Water Samples / Non-perishable items after Four week of reporting ( provided the party has submitted the sufficient quantity of samples )
- Any Complaints about this report should be communicated in writing within 7 days of issue of this report.
- This report is not to be reproduced wholly or in parts and cannot be used as evidence in a court of law and shall not be used in advertising media without permission of CFO in writing
- This is to be noted that utmost care is taken while preparing this report by our computer operator while feeding manually the data such as testing results, date, report number etc in the respective report, but as it is all human activities of any elected error mistakes occurs than its just a matter of unintentional human mistake, in this case please centified this in written to the lab within a period of 7 days & we will rectify it within a stipulated time.
- All disputes are subject to the Ghaziabad Jurisdiction /
- We hereby declare that we are not concerned & movement in any alignmer what it shall be to "M/S Shri Ram Institute for Industrial Research Delhi."
- E. & O.E